




AR-EN Ltd.

from manufacturer to export

Address:Ahmetpasa cad.Kalender is Merkezi no:41 Kayseri/TURKIYE

Mobile phone:+90 533 659 50 39

Golden Ratio White SMD Led Concrete Fixture (120pcs-32W)




Technical Specifications


- Life-long impermeability guarantee with surface-controlled special cold welding technology and IP68 electrical insulation.
- With its special geometry, it provides wider lighting suitable for the pool edge surface.
- With a thickness of 26 mm, it is the world's thinnest and most aesthetic pool lighting fixture.
- The end of the cable inside the luminaire is completely clogged and insulated, even if the cable remains in water, no water can enter the luminaire.
- It has a unique design where there is no screw hole on the frame that distorts the appearance and creates pollution.
- It provides strong illumination with high efficiency SMD LEDs, and provides 90% savings compared to filament bulbs with its low consumption.
- Only use in water. It can be used in water depth of 5 meters.
- Cable length is 2.5 meters.
- It has a long life with automatic current control.
- It is a product that perfects the classic pool look with its golden ratio design at the peak of aesthetics.
- Easy and precise results with a single solution without the need for surface-mounted or recessed pool lighting.
- In addition to white, daylight and blue colors, all kinds of color and light games can be made with the RGB model.
- It provides cable transit and fixing solution for all kinds of pools with its optional special kits.
- Suitable for use in sea water and geothermal water. Fasteners are 316 stainless.
- Manufactured from original materials. UV and antioxidant added, impact resistant, long life.
- In the reinforced concrete pool,
In the liner pool,
In the panel pool,
Polyester in the pool
Available varieties are available.



Golden Ratio RGB SMD Led Concrete Fixture (120pcs-30W)



LAMP FIXING AND APPLICATION FOR CONCRETE POOL



Technical Specifications

- Life-long impermeability guarantee with surface-controlled special cold welding technology and IP68 electrical insulation.
- With its special geometry, it provides wider lighting suitable for the pool edge surface.
- With a thickness of 26 mm, it is the world's thinnest and most aesthetic pool lighting fixture.
- The end of the cable inside the luminaire is completely clogged and insulated, even if the cable remains in water, no water can enter the luminaire.
- It has a unique design where there is no screw hole on the frame that distorts the appearance and creates pollution.
- It provides strong illumination with high efficiency SMD LEDs, and provides 90% savings compared to filament bulbs with its low consumption.
- Only use in water. It can be used in water depth of 5 meters.
- Cable length is 2.5 meters.
- It has a long life with automatic current control.
- It is a product that perfects the classic pool look with its golden ratio design at the peak of aesthetics.
- Easy and precise results with a single solution without the need for surface-mounted or recessed pool lighting.
- In addition to white, daylight and blue colors, all kinds of color and light games can be made with the RGB model.
- It provides cable transit and fixing solution for all kinds of pools with its optional special kits.
- Suitable for use in sea water and geothermal water. Fasteners are 316 stainless.
- Manufactured from original materials. UV and antioxidant added, impact resistant, long life.
- In the reinforced concrete pool,
In the liner pool,
In the panel pool,
Polyester in the pool
Available varieties are available.

Product photo is representative.



Beton
Concrete



CE IP68    CLASS III

SMD LEDLİ BETON HAVUZ AYDINLATMA ARMATÜRLERİ SMD LED CONCRETE POOL LIGHTENING ARMATURES

| Kod / Code | LED-101 | LED-102 | LED-103 | LED-111 | LED-112 | LED-113 |
|---------------|---------------------------------------------|--------------|---------|---------------------------------------------|--------------|---------|
| Renk / Colour | Beyaz veya Gün ışığı White or Warm white | Mavi Blue | RGB | Beyaz veya Gün ışığı White or Warm white | Mavi Blue | RGB |
| Ampul / Bulb | 84 Ad. | 84 Ad. | 150 Ad. | 120 Ad. | 120 Ad. | 240 Ad. |
| Lümen | 3200 | 2000 | 3200 | 5000 | 3000 | 5000 |
| Volt | AC 12 V | AC 12 V | DC 12 V | AC 12 V | AC 12 V | DC 12 V |
| Watt | 32 W | 32 W | 30 W | 50 W | 50 W | 50 W |

*Lütfen fiyat sorunuz./ Please consult us.

Liner ve Polyester
Liner and Polyester



CE IP68    CLASS III

SMD LEDLİ LİNER HAVUZ AYDINLATMA ARMATÜRLERİ SMD LED LINER POOL LIGHTENING ARMATURES

| Kod / Code | LED-201 | LED-202 | LED-203 | LED-211 | LED-212 | LED-213 |
|---------------|---------------------------------------------|--------------|---------|---------------------------------------------|--------------|---------|
| Renk / Colour | Beyaz veya Gün ışığı White or Warm white | Mavi Blue | RGB | Beyaz veya Gün ışığı White or Warm white | Mavi Blue | RGB |
| Ampul / Bulb | 84 Ad. | 84 Ad. | 150 Ad. | 120 Ad. | 120 Ad. | 240 Ad. |
| Lümen | 3200 | 2000 | 3200 | 5000 | 3000 | 5000 |
| Volt | AC 12 V | AC 12 V | DC 12 V | AC 12 V | AC 12 V | DC 12 V |
| Watt | 32 W | 32 W | 30 W | 50 W | 50 W | 50 W |

*Lütfen fiyat sorunuz./ Please consult us.

SMD LEDLİ AYDINLATMA AMPÜLLERİ SMD LED POOL LIGHTENING LAMPS



CE IP68    CLASS III

| Kod / Code | LED-301 | LED-302 | LED-303 | LED-311 | LED-312 | LED-313 |
|---------------|---------------------------------------------|--------------|---------|---------------------------------------------|--------------|---------|
| Renk / Colour | Beyaz veya Gün ışığı White or Warm white | Mavi Blue | RGB | Beyaz veya Gün ışığı White or Warm white | Mavi Blue | RGB |
| Ampul / Bulb | 84 Ad. | 84 Ad. | 150 Ad. | 120 Ad. | 120 Ad. | 240 Ad. |
| Lümen | 3200 | 2000 | 3200 | 5000 | 3000 | 5000 |
| Volt | AC 12 V | AC 12 V | DC 12 V | AC 12 V | AC 12 V | DC 12 V |
| Watt | 32 W | 32 W | 30 W | 50 W | 50 W | 50 W |

*Lütfen fiyat sorunuz./ Please consult us.



SIVA ÜSTÜ SMD LEDLİ HAVUZ LAMBASI (32mm - R 26)
SMD LED FLAT POOL ARMATURES (32mm - R26)



| Kod / Code | LED-401 | LED-402 | LED-403 | LED-411 | LED-412 | LED-413 |
|---------------|---------------------------------------------|--------------|---------|---------------------------------------------|--------------|---------|
| Renk / Colour | Beyaz veya Gün ışığı White or Warm white | Mavi Blue | RGB | Beyaz veya Gün ışığı White or Warm white | Mavi Blue | RGB |
| Ampul / Bulb | 84 Ad. | 84 Ad. | 150 Ad. | 120 Ad. | 120 Ad. | 240 Ad. |
| Lümen | 3200 | 2000 | 3200 | 5000 | 3000 | 5000 |
| Volt | AC 12 V | AC 12 V | DC 12 V | AC 12 V | AC 12 V | DC 12 V |
| Watt | 32 W | 32 W | 30 W | 50 W | 50 W | 50 W |

*Lütfen fiyat sorunuz./ Please consult us.

CE IP68 F G L CLASS III

SIVA ÜSTÜ KROM KAPLI SMD LEDLİ HAVUZ LAMBASI
(32mm - R 26) //// (32mm - R 26)
CHROME COVERED SMD LED FLAT POOL ARMATURES



| Kod / Code | LED-501 | LED-502 | LED-503 | LED-511 | LED-512 | LED-513 |
|---------------|---------------------------------------------|--------------|---------|---------------------------------------------|--------------|---------|
| Renk / Colour | Beyaz veya Gün ışığı White or Warm white | Mavi Blue | RGB | Beyaz veya Gün ışığı White or Warm white | Mavi Blue | RGB |
| Ampul / Bulb | 84 Ad. | 84 Ad. | 150 Ad. | 120 Ad. | 120 Ad. | 240 Ad. |
| Lümen | 3200 | 2000 | 3200 | 5000 | 3000 | 5000 |
| Volt | AC 12 V | AC 12 V | DC 12 V | AC 12 V | AC 12 V | DC 12 V |
| Watt | 32 W | 32 W | 30 W | 50 W | 50 W | 50 W |

*Lütfen fiyat sorunuz./ Please consult us.

CE IP68 F G L CLASS III

SIVA ÜSTÜ PASLANMAZ SMD LEDLİ HAVUZ LAMBASI
(32mm - R 26) //// (32mm - R 26)
STAINLESS STEEL SMD LED FLAT POOL ARMATURES



| Kod / Code | LED-601 | LED-602 | LED-603 | LED-611 | LED-612 | LED-613 |
|---------------|---------------------------------------------|--------------|---------|---------------------------------------------|--------------|---------|
| Renk / Colour | Beyaz veya Gün ışığı White or Warm white | Mavi Blue | RGB | Beyaz veya Gün ışığı White or Warm white | Mavi Blue | RGB |
| Ampul / Bulb | 84 Ad. | 84 Ad. | 150 Ad. | 120 Ad. | 120 Ad. | 240 Ad. |
| Lümen | 3200 | 2000 | 3200 | 5000 | 3000 | 5000 |
| Volt | AC 12 V | AC 12 V | DC 12 V | AC 12 V | AC 12 V | DC 12 V |
| Watt | 32 W | 32 W | 30 W | 50 W | 50 W | 50 W |

*Lütfen fiyat sorunuz./ Please consult us.

CE IP68 F G L CLASS III

